

NetBid No.	Waggonmodell	Manufacturer	Typ	Wagonnumber	Location	Description	CY
1	AByz	Halberstädter	EUROREGIO wagon	51 43 31-30 000-4	Szombathely	Overhaul: 1996; Heating: 1500/1000 V; Charging: Ee; Closed WC: yes; Speed: 140 km/h; Seats: 71; Hand brake: 20 t; Brake type: KE-GPR; G: 42; P:48; R: 67; RR: 70; Weight: 41 t; Total weight: 47 t; Pivot dist.: 19 m; Length: 26,4 m	1978-1982
2	AByz	Halberstädter	EUROREGIO wagon	51 43 31-30 001-2	Szombathely	Overhaul: 1996; Heating: 1500/1000 V; Charging: Ee; Closed WC: yes; Speed: 140 km/h; Seats: 71; Hand brake: 20 t; Brake type: KE-GPR; G: 42; P:48; R: 67; RR: 70; Weight: 41 t; Total weight: 47 t; Pivot dist.: 19 m; Length: 26,4 m	1978-1982
3	AByz	Halberstädter	EUROREGIO wagon	51 43 31-30 002-0	Szombathely	Overhaul: 1996; Heating: 1500/1000 V; Charging: Ee; Closed WC: yes; Speed: 140 km/h; Seats: 71; Hand brake: 20 t; Brake type: KE-GPR; G: 42; P:48; R: 67; RR: 70; Weight: 41 t; Total weight: 47 t; Pivot dist.: 19 m; Length: 26,4 m	1978-1982
4	AByz	Halberstädter	EUROREGIO wagon	51 43 31-30 003-8	Sopron - Service	Overhaul: 1996; Heating: 1500/1000 V; Charging: Ee; Closed WC: yes; Speed: 140 km/h; Seats: 71; Hand brake: 20 t; Brake type: KE-GPR; G: 42; P:48; R: 67; RR: 70; Weight: 41 t; Total weight: 47 t; Pivot dist.: 19 m; Length: 26,4 m	1978-1982
5	AByz	Halberstädter	EUROREGIO wagon	51 43 31-30 004-6	Fertőszentmiklós	Overhaul: 1996; Heating: 1500/1000 V; Charging: Ee; Closed WC: yes; Speed: 140 km/h; Seats: 71; Hand brake: 20 t; Brake type: KE-GPR; G: 42; P:48; R: 67; RR: 70; Weight: 41 t; Total weight: 47 t; Pivot dist.: 19 m; Length: 26,4 m	1978-1982
6	Byz	Halberstädter	EUROREGIO wagon	51 43 21-30 000-6	Fertőszentmiklós	Overhaul: 1996; Heating: 1500/1000 V; Charging: Ee; Closed WC: yes; Speed: 140 km/h; Seats: 84; Hand brake: 20 t; Brake type: KE-GPR; G: 42; P:48; R: 67; RR: 70; Weight: 41 t; Total weight: 47 t; Pivot dist.: 19 m; Length: 26,4 m	1978-1982
7	Byz	Halberstädter	EUROREGIO wagon	51 43 21-30 001-4	Sopron - Service	Overhaul: 1996; Heating: 1500/1000 V; Charging: Ee; Closed WC: yes; Speed: 140 km/h; Seats: 84; Hand brake: 20 t; Brake type: KE-GPR; G: 42; P:48; R: 67; RR: 70; Weight: 41 t; Total weight: 47 t; Pivot dist.: 19 m; Length: 26,4 m; Incomplete, repair is required	1978-1982
8	Byz	Halberstädter	EUROREGIO wagon	51 43 21-30 002-2	Fertőszentmiklós	Overhaul: 1996; Heating: 1500/1000 V; Charging: Ee; Closed WC: yes; Speed: 140 km/h; Seats: 84; Hand brake: 20 t; Brake type: KE-GPR; G: 42; P:48; R: 67; RR: 70; Weight: 41 t; Total weight: 47 t; Pivot dist.: 19 m; Length: 26,4 m	1978-1982

9	Byz	Halberstädter	EUROREGIO wagons	51 43 21-30 003-0	Fertőszentmiklós	Overhaul: 1996; Heating: 1500/1000 V; Charging: Ee; Closed WC: yes; Speed: 140 km/h; Seats: 84; Hand brake: 20 t; Brake type: KE-GPR; G: 42; P:48; R: 67; RR: 70; Weight: 41 t; Total weight: 47 t; Pivot dist.: 19 m; Length: 26,4 m	1978-1982
10	Byz	Halberstädter	EUROREGIO wagon	51 43 21-30 004-8	Sopron - Service	Overhaul: 1996; Heating: 1500/1000 V; Charging: Ee; Closed WC: yes; Speed: 140 km/h; Seats: 84; Hand brake: 20 t; Brake type: KE-GPR; G: 42; P:48; R: 67; RR: 70; Weight: 41 t; Total weight: 47 t; Pivot dist.: 19 m; Length: 26,4 m; Incomplete, repair is required	1978-1982
11	Byz	Halberstädter	EUROREGIO wagon	51 43 21-30 005-5	Fertőszentmiklós	Overhaul: 1996; Heating: 1500/1000 V; Charging: Ee; Closed WC: yes; Speed: 140 km/h; Seats: 84; Hand brake: 20 t; Brake type: KE-GPR; G: 42; P:48; R: 67; RR: 70; Weight: 41 t; Total weight: 47 t; Pivot dist.: 19 m; Length: 26,4 m	1978-1982
12	Byz	Halberstädter	EUROREGIO wagon	51 43 21-30 006-3	Fertőszentmiklós	Overhaul: 1996; Heating: 1500/1000 V; Charging: Ee; Closed WC: yes; Speed: 140 km/h; Seats: 84; Hand brake: 20 t; Brake type: KE-GPR; G: 42; P:48; R: 67; RR: 70; Weight: 41 t; Total weight: 47 t; Pivot dist.: 19 m; Length: 26,4 m	1978-1982
13	Byz	Halberstädter	EUROREGIO wagon	51 43 21-30 007-1	Szombathely	Overhaul: 1996; Heating: 1500/1000 V; Charging: Ee; Closed WC: yes; Speed: 140 km/h; Seats: 84; Hand brake: 20 t; Brake type: KE-GPR; G: 42; P:48; R: 67; RR: 70; Weight: 41 t; Total weight: 47 t; Pivot dist.: 19 m; Length: 26,4 m	1978-1982
14	Byz	Halberstädter	EUROREGIO wagon	51 43 21-30 008-9	Sopron	Overhaul: 1996; Heating: 1500/1000 V; Charging: Ee; Closed WC: yes; Speed: 140 km/h; Seats: 84; Hand brake: 20 t; Brake type: KE-GPR; G: 42; P:48; R: 67; RR: 70; Weight: 41 t; Total weight: 47 t; Pivot dist.: 19 m; Length: 26,4 m	1978-1982
15	Byz	Halberstädter	EUROREGIO wagon	51 43 21-30 009-7	Sopron	Overhaul: 1996; Heating: 1500/1000 V; Charging: Ee; Closed WC: yes; Speed: 140 km/h; Seats: 84; Hand brake: 20 t; Brake type: KE-GPR; G: 42; P:48; R: 67; RR: 70; Weight: 41 t; Total weight: 47 t; Pivot dist.: 19 m; Length: 26,4 m	1978-1982
16	Byz	Halberstädter	EUROREGIO wagon	51 43 21-30 010-5	Fertőszentmiklós	Overhaul: 1996; Heating: 1500/1000 V; Charging: Ee; Closed WC: yes; Speed: 140 km/h; Seats: 84; Hand brake: 20 t; Brake type: KE-GPR; G: 42; P:48; R: 67; RR: 70; Weight: 41 t; Total weight: 47 t; Pivot dist.: 19 m; Length: 26,4 m	1978-1982
17	Byz	Halberstädter	EUROREGIO wagon	51 43 21-30 011-3	Sopron	Overhaul: 1996; Heating: 1500/1000 V; Charging: Ee; Closed WC: yes; Speed: 140 km/h; Seats: 84; Hand brake: 20 t; Brake type: KE-GPR; G: 42; P:48; R: 67; RR: 70; Weight: 41 t; Total weight: 47 t; Pivot dist.: 19 m; Length: 26,4 m	1978-1982
18	Byz	Halberstädter	EUROREGIO wagon	51 43 21-30 012-1	Sopron	Overhaul: 1996; Heating: 1500/1000 V; Charging: Ee; Closed WC: yes; Speed: 140 km/h; Seats: 84; Hand brake: 20 t; Brake type: KE-GPR; G: 42; P:48; R: 67; RR: 70; Weight: 41 t; Total weight: 47 t; Pivot dist.: 19 m; Length: 26,4 m	1978-1982

19	Byz	Halberstädter	EUROREGIO wagon	51 43 21-30 013-9	Sopron	Overhaul: 1996; Heating: 1500/1000 V; Charging: Ee; Closed WC: yes; Speed: 140 km/h; Seats: 84; Hand brake: 20 t; Brake type: KE-GPR; G: 42; P:48; R: 67; RR: 70; Weight: 41 t; Total weight: 47 t; Pivot dist.: 19 m; Length: 26,4 m	1978-1982
20	Byz	Halberstädter	EUROREGIO wagon	51 43 21-30 014-7	Fertőszentmiklós	Overhaul: 1996; Heating: 1500/1000 V; Charging: Ee; Closed WC: yes; Speed: 140 km/h; Seats: 84; Hand brake: 20 t; Brake type: KE-GPR; G: 42; P:48; R: 67; RR: 70; Weight: 41 t; Total weight: 47 t; Pivot dist.: 19 m; Length: 26,4 m	1978-1982
21	Byz	Halberstädter	EUROREGIO wagon	51 43 21-30 015-4	Szombathely	Overhaul: 1996; Heating: 1500/1000 V; Charging: Ee; Closed WC: yes; Speed: 140 km/h; Seats: 84; Hand brake: 20 t; Brake type: KE-GPR; G: 42; P:48; R: 67; RR: 70; Weight: 41 t; Total weight: 47 t; Pivot dist.: 19 m; Length: 26,4 m	1978-1982
22	BDyz	Halberstädter	EUROREGIO multi-purpose baggage car	51 43 84-33 000-7	Sopron	Overhaul: 1996; Heating: 1500/1000 V; Charging: Ee; Closed WC: yes; Speed: 140 km/h; Seats: 69; Hand brake: 20 t; Brake type: KE-GPR; G: 42; P:48; R: 67; RR: 70; Weight: 41 t; Total weight: 47 t; Pivot dist.: 19 m; Length: 26,4 m; Other: wheelchair / bicycle carrier	1978-1982
23	BDyz	Halberstädter	EUROREGIO multi-purpose baggage car	51 43 84-33 001-5	Fertőszentmiklós	Overhaul: 1996; Heating: 1500/1000 V; Charging: Ee; Closed WC: yes; Speed: 140 km/h; Seats: 69; Hand brake: 20 t; Brake type: KE-GPR; G: 42; P:48; R: 67; RR: 70; Weight: 41 t; Total weight: 47 t; Pivot dist.: 19 m; Length: 26,4 m; Other: wheelchair / bicycle carrier	1978-1982
24	BDyz	Halberstädter	EUROREGIO multi-purpose baggage car	51 43 84-33 002-3	Fertőszentmiklós	Overhaul: 1996; Heating: 1500/1000 V; Charging: Ee; Closed WC: yes; Speed: 140 km/h; Seats: 69; Hand brake: 20 t; Brake type: KE-GPR; G: 42; P:48; R: 67; RR: 70; Weight: 41 t; Total weight: 47 t; Pivot dist.: 19 m; Length: 26,4 m; Other: wheelchair / bicycle carrier	1978-1982
25	Bbd	Halberstädter	EUROREGIO multi-purpose baggage car	51 43 84-36 002-0	Sopron - Service	Overhaul: 1996; Heating: 1500/1000 V; Charging: Ee; Closed WC: yes; Speed: 140 km/h; Seats: 23; Hand brake: 20 t; Brake type: KE-GPR; G: 35; P: 38; R: 53; RR: 56; Weight: 32 t; Total weight: 37 t; Pivot dist.: 17,6 m; Length: 22,2 m; Other: special transport for disabled people	1978-1982
26	Bpz	Schlieren	29-03 wagon	50 43 29-03 001-0	Sopron	Overhaul: ~ 1992-1995; Heating: 1500/1000 V; Charging: e/Ee; Closed WC: no; Speed: 120 km/h; Seats: 72; Hand brake: 12 t; Brake type: O-PR; P: 30; R: 40; RR: 43; Weight: 33 t; Total weight: 38 t; Pivot dist.: 17,6 m; Length: 23,7 m;	1977
27	Bpz	Schlieren	29-03 wagon	50 43 29-03 002-8	Szombathely	Overhaul: ~ 1992-1995; Heating: 1500/1000 V; Charging: e/Ee; Closed WC: no; Speed: 120 km/h; Seats: 72; Hand brake: 12 t; Brake type: O-PR; P: 30; R: 40; RR: 43; Weight: 33 t; Total weight: 38 t; Pivot dist.: 17,6 m; Length: 23,7 m;	1977
28	Bpz	Schlieren	29-03 wagon	50 43 29-03 004-4	Sopron	Overhaul: ~ 1992-1995; Heating: 1500/1000 V; Charging: e/Ee; Closed WC: no; Speed: 120 km/h; Seats: 72; Hand brake: 12 t; Brake type: O-PR; P: 30; R: 40; RR: 43; Weight: 33 t; Total weight: 38 t; Pivot dist.: 17,6 m; Length: 23,7 m;	1977

29	Bpz	Schlieren	29-03 wagon	50 43 29-03 005-1	Sopron	Overhaul: ~ 1992-1995; Heating: 1500/1000 V; Charging: e/Ee; Closed WC: no; Speed: 120 km/h; Seats: 72; Hand brake: 12 t; Brake type: O-PR; P: 30; R: 40; RR: 43; Weight: 33 t; Total weight: 38 t; Pivot dist.: 17,6 m; Length: 23,7 m;	1977
30	Bpz	Schlieren	29-03 wagon	50 43 29-03 006-9	Szombathely	Overhaul: ~ 1992-1995; Heating: 1500/1000 V; Charging: e/Ee; Closed WC: no; Speed: 120 km/h; Seats: 72; Hand brake: 12 t; Brake type: O-PR; P: 30; R: 40; RR: 43; Weight: 33 t; Total weight: 38 t; Pivot dist.: 17,6 m; Length: 23,7 m;	1977
31	Bpz	Schlieren	29-03 wagon	50 43 29-03 008-5	Szombathely	Overhaul: ~ 1992-1995; Heating: 1500/1000 V; Charging: e/Ee; Closed WC: no; Speed: 120 km/h; Seats: 72; Hand brake: 12 t; Brake type: O-PR; P: 30; R: 40; RR: 43; Weight: 33 t; Total weight: 38 t; Pivot dist.: 17,6 m; Length: 23,7 m;	1977
32	Bpz	Schlieren	29-03 wagon	50 43 29-03 009-3	Szombathely	Overhaul: ~ 1992-1995; Heating: 1500/1000 V; Charging: e/Ee; Closed WC: no; Speed: 120 km/h; Seats: 72; Hand brake: 12 t; Brake type: O-PR; P: 30; R: 40; RR: 43; Weight: 33 t; Total weight: 38 t; Pivot dist.: 17,6 m; Length: 23,7 m;	1977
33	Bpz	Schlieren	29-03 wagon	50 43 29-03 010-1	Sopron	Overhaul: ~ 1992-1995; Heating: 1500/1000 V; Charging: e/Ee; Closed WC: no; Speed: 120 km/h; Seats: 72; Hand brake: 12 t; Brake type: O-PR; P: 30; R: 40; RR: 43; Weight: 33 t; Total weight: 38 t; Pivot dist.: 17,6 m; Length: 23,7 m;	1977
34	Bpz	Schlieren	29-03 wagon	50 43 29-03 012-7	Sopron	Overhaul: ~ 1992-1995; Heating: 1500/1000 V; Charging: e/Ee; Closed WC: no; Speed: 120 km/h; Seats: 72; Hand brake: 12 t; Brake type: O-PR; P: 30; R: 40; RR: 43; Weight: 33 t; Total weight: 38 t; Pivot dist.: 17,6 m; Length: 23,7 m;	1977
35	Bpz	Schlieren	29-03 wagon	50 43 29-03 013-5	Sopron	Overhaul: ~ 1992-1995; Heating: 1500/1000 V; Charging: e/Ee; Closed WC: no; Speed: 120 km/h; Seats: 72; Hand brake: 12 t; Brake type: O-PR; P: 30; R: 40; RR: 43; Weight: 33 t; Total weight: 38 t; Pivot dist.: 17,6 m; Length: 23,7 m;	1977
36	Bpz	Schlieren	29-03 wagon	50 43 29-03 014-3	Sopron	Overhaul: ~ 1992-1995; Heating: 1500/1000 V; Charging: e/Ee; Closed WC: no; Speed: 120 km/h; Seats: 72; Hand brake: 12 t; Brake type: O-PR; P: 30; R: 40; RR: 43; Weight: 33 t; Total weight: 38 t; Pivot dist.: 17,6 m; Length: 23,7 m;	1977
37	BDpz	Schlieren	29-03 multi-purpose baggage car	50 43 82-03 001-4	Sopron	Overhaul: ~ 1992-1995; Heating: 1500/1000 V; Charging: Ee; Closed WC: no; Speed: 120 km/h; Seats: 56; Hand brake: 12 t; Brake type: O-PR; P: 30; R: 40; RR: 43; Weight: 33 t; Total weight: 38 t; Pivot dist.: 17,6 m; Length: 23,7 m; Other: bicycle carrier	1978
38	Bpz	Schlieren	29-05 wagon	50 55 29-05 117-7	Sopron - Service	Overhaul: ~ 1992-1995; Heating: 1500 V; Charging: ee; Closed WC: no; Speed: 120 km/h; Seats: 72; Hand brake: 12 t; Brake type: O-PR; P: 30; R: 40; RR: 43; Weight: 33 t; Total weight: 38 t; Pivot dist.: 17,6 m; Length: 23,7 m;	1977-1980

39	Bpz	Schlieren	29-05 wagon	50 55 29-05 118-5	Sopron	Overhaul: ~ 1992-1995; Heating: 1500 V; Charging: ee; Closed WC: no; Speed: 120 km/h; Seats: 72; Hand brake: 12 t; Brake type: O-PR; P: 30; R: 40; RR: 43; Weight: 33 t; Total weight: 38 t; Pivot dist.: 17,6 m; Length: 23,7 m;	1977-1980
40	Bpz	Schlieren	29-05 wagon	50 55 29-05 119-3	Sopron	Overhaul: ~ 1992-1995; Heating: 1500 V; Charging: ee; Closed WC: no; Speed: 120 km/h; Seats: 72; Hand brake: 12 t; Brake type: O-PR; P: 30; R: 40; RR: 43; Weight: 33 t; Total weight: 38 t; Pivot dist.: 17,6 m; Length: 23,7 m;	1977-1980
41	Bpz	Schlieren	29-05 wagon	50 55 29-05 120-1	Sopron - Service	Overhaul: ~ 1992-1995; Heating: 1500 V; Charging: ee; Closed WC: no; Speed: 120 km/h; Seats: 72; Hand brake: 12 t; Brake type: O-PR; P: 30; R: 40; RR: 43; Weight: 33 t; Total weight: 38 t; Pivot dist.: 17,6 m; Length: 23,7 m;	1977-1980
42	Bpz	Schlieren	29-05 wagon	50 55 29-05 121-9	Sopron	Overhaul: ~ 1992-1995; Heating: 1500 V; Charging: ee; Closed WC: no; Speed: 120 km/h; Seats: 72; Hand brake: 12 t; Brake type: O-PR; P: 30; R: 40; RR: 43; Weight: 33 t; Total weight: 38 t; Pivot dist.: 17,6 m; Length: 23,7 m;	1977-1980
43	Bpz	Schlieren	29-05 wagon	50 55 29-05 122-7	Sopron	Overhaul: ~ 1992-1995; Heating: 1500 V; Charging: ee; Closed WC: no; Speed: 120 km/h; Seats: 72; Hand brake: 12 t; Brake type: O-PR; P: 30; R: 40; RR: 43; Weight: 33 t; Total weight: 38 t; Pivot dist.: 17,6 m; Length: 23,7 m;	1977-1980
44	BDpz	Schlieren	84-05 multi-purpose bicycle car	50 55 84-05 001-5	Sopron - Service	Overhaul: ~ 1992-1995; Heating: 1500/1000 V; Charging: Ee; Closed WC: no; Speed: 120 km/h; Seats: 30; Hand brake: 12 t; Brake type: O-PR; P: 30; R: 40; RR: 43; Weight: 32 t; Total weight: 37 t; Pivot dist.: 17,6 m; Length: 23,7 m; Other: 40 bicycles or folding seats; Incomplete, repair is required	1977-1980
45	BDpz	Schlieren	84-05 multi-purpose bicycle car	50 55 84-05 002-3	Szombathely	Overhaul: ~ 1992-1995; Heating: 1500/1000 V; Charging: Ee; Closed WC: no; Speed: 120 km/h; Seats: 30; Hand brake: 12 t; Brake type: O-PR; P: 30; R: 40; RR: 43; Weight: 32 t; Total weight: 37 t; Pivot dist.: 17,6 m; Length: 23,7 m; Other: 40 bicycles or folding seats	1977-1980
46	BDpz	Schlieren	84-05 multi-purpose bicycle car	50 55 84-05 003-1	Sopron	Overhaul: ~ 1992-1995; Heating: 1500/1000 V; Charging: Ee; Closed WC: no; Speed: 120 km/h; Seats: 30; Hand brake: 12 t; Brake type: O-PR; P: 30; R: 40; RR: 43; Weight: 32 t; Total weight: 37 t; Pivot dist.: 17,6 m; Length: 23,7 m; Other: 40 bicycles or folding seats	1977-1980
47	BDpz	Schlieren	84-05 multi-purpose bicycle car	50 55 84-05 004-9	Szombathely	Overhaul: ~ 1992-1995; Heating: 1500/1000 V; Charging: Ee; Closed WC: no; Speed: 120 km/h; Seats: 30; Hand brake: 12 t; Brake type: O-PR; P: 30; R: 40; RR: 43; Weight: 32 t; Total weight: 37 t; Pivot dist.: 17,6 m; Length: 23,7 m; Other: 40 bicycles or folding seats	1977-1980
48	BDpz	Schlieren	84-05 multi-purpose bicycle car	50 55 84-05 005-6	Sopron	Overhaul: ~ 1992-1995; Heating: 1500/1000 V; Charging: Ee; Closed WC: no; Speed: 120 km/h; Seats: 30; Hand brake: 12 t; Brake type: O-PR; P: 30; R: 40; RR: 43; Weight: 32 t; Total weight: 37 t; Pivot dist.: 17,6 m; Length: 23,7 m; Other: 40 bicycles or folding seats	1977-1980

49	BDpz	Schlieren	84-05 multi-purpose bicycle car	50 55 84-05 006-4	Szombathely	Overhaul: ~ 1992-1995; Heating: 1500/1000 V; Charging: Ee; Closed WC: no; Speed: 120 km/h; Seats: 30; Hand brake: 12 t; Brake type: O-PR; P: 30; R: 40; RR: 43; Weight: 32 t; Total weight: 37 t; Pivot dist.: 17,6 m; Length: 23,7 m; Other: 40 bicycles or folding seats	1977-1980
50	BDpz	Schlieren	84-05 multi-purpose bicycle car	50 55 84-05 007-2	Szombathely	Overhaul: ~ 1992-1995; Heating: 1500/1000 V; Charging: Ee; Closed WC: no; Speed: 120 km/h; Seats: 30; Hand brake: 12 t; Brake type: O-PR; P: 30; R: 40; RR: 43; Weight: 32 t; Total weight: 37 t; Pivot dist.: 17,6 m; Length: 23,7 m; Other: 40 bicycles or folding seats	1977-1980
51	BDpz	Schlieren	84-05 multi-purpose bicycle car	50 55 84-05 008-0	Sopron	Overhaul: ~ 1992-1995; Heating: 1500/1000 V; Charging: Ee; Closed WC: no; Speed: 120 km/h; Seats: 30; Hand brake: 12 t; Brake type: O-PR; P: 30; R: 40; RR: 43; Weight: 32 t; Total weight: 37 t; Pivot dist.: 17,6 m; Length: 23,7 m; Other: 40 bicycles or folding seats	1977-1980
52	Bh	MAV	Dunakeszi 82-03	50 43 20-27 341-1	Sopron	Overhaul: ~ 2009-2011; Heating: 1500/1000 V; Charging: Ee; Closed WC: no; Speed: 120 km/h; Seats: 80; Hand brake: 32 t; Brake type: KE-GP; G:32; P:39; Weight: 35 t; Total weight: 41 t; Pivot dist.: 16,5 m; Length: 23,7 m	1978

All information without guarantee! Any changes in the positions reserved. Please read our Terms and Conditions.